

ACQUAGLOBO 30 design SLIDE Studio




Lampada galleggiante Anno di produzione: 1999 Versioni: luminosa. Materiali: Polietilene. Dimensioni: Ø 30 cm Peso: 1,7 Kg Imballaggio: 31 x 31 x 31 cm Volume imballaggio: 0,03 m³

NB: trasformatore non incluso.

Lamp flottante Année de production: 1999 Versions: lumineuse. Matériaux: Polyéthilène. Dimensions: Ø 30 cm Poids: 1,7 Kg Emballage: 31 x 31 x 31 cm Volume emballage: 0,03 m³

NB: transformateur non inclus.

Floating lamp Year of production: 1999 Versions: lighting. Material: Polyethylene. Dimensions: Ø 30 cm Weight: 1,7 Kg Packaging: 31 x 31 x 31 cm Packaging volume: 0,03 m³





ACQUAGLOBO 40 design SLIDE Studio




Lampada galleggiante Anno di produzione: 2001 Versioni: luminosa. Materiali: Polietilene. Dimensioni: Ø 40 cm Peso: 2,5 Kg Imballaggio: 41 x 41 x 41 cm Volume imballaggio: 0,069 m³

NB: trasformatore non incluso.

Lamp flottante Année de production: 2001 Versions: lumineuse. Matériaux: Polyéthilène. Dimensions: Ø 40 cm Poids: 2,5 Kg Emballage: 41 x 41 x 41 cm Volume emballage: 0,069 m³

NB: transformateur non inclus.

Floating lamp Year of production: 2001 Versions: lighting. Material: Polyethylene. Dimensions: Ø 40 cm Weight: 2,5 Kg Packaging: 41 x 41 x 41 cm Packaging volume: 0,069 m³





ACQUAGLOBO 50 design SLIDE Studio




Lampada galleggiante Anno di produzione: 2001 Versioni: luminosa. Materiali: Polietilene. Dimensioni: Ø 50 cm Peso: 4 Kg Imballaggio: 51 x 51 x 51 cm Volume imballaggio: 0,133 m³

NB: trasformatore non incluso.

Lamp flottante Année de production: 2001 Versions: lumineuse. Matériaux: Polyéthilène. Dimensions: Ø 50 cm Poids: 4 Kg Emballage: 51 x 51 x 51 cm Volume emballage: 0,133 m³

NB: transformateur non inclus.

Floating lamp Year of production: 2001 Versions: lighting. Material: Polyethylene. Dimensions: Ø 50 cm Weight: 4 Kg Packaging: 51 x 51 x 51 cm Packaging volume: 0,133 m³





ACQUAGLOBO 60 design SLIDE Studio




Lampada galleggiante Anno di produzione: 2000 Versioni: luminosa. Materiali: Polietilene. Dimensioni: Ø 60 cm Peso: 5,2 Kg Imballaggio: 61 x 61 x 61 cm Volume imballaggio: 0,227 m³

NB: trasformatore non incluso.

Lamp flottante Année de production: 2000 Versions: lumineuse. Matériaux: Polyéthilène. Dimensions: Ø 60 cm Poids: 5,2 Kg Emballage: 61 x 61 x 61 cm Volume emballage: 0,227 m³

NB: transformateur non inclus.

Floating lamp Year of production: 2000 Versions: lighting. Material: Polyethylene. Dimensions: Ø 60 cm Weight: 5,2 Kg Packaging: 61 x 61 x 61 cm Packaging volume: 0,227 m³





ACQUAGLOBO 70 design SLIDE Studio




Lampada galleggiante Anno di produzione: 2001 Versioni: luminosa. Materiali: Polietilene. Dimensioni: Ø 70 cm Peso: 7,7 Kg Imballaggio: 71 x 71 x 71 cm Volume imballaggio: 0,358 m³

NB: trasformatore non incluso.

Lamp flottante Année de production: 2001 Versions: lumineuse. Matériaux: Polyéthilène. Dimensions: Ø 70 cm Poids: 7,7 Kg Emballage: 71 x 71 x 71 cm Volume emballage: 0,358 m³

NB: transformateur non inclus.

Floating lamp Year of production: 2001 Versions: lighting. Material: Polyethylene. Dimensions: Ø 70 cm Weight: 7,7 Kg Packaging: 71 x 71 x 71 cm Packaging volume: 0,358 m³






TRANSFORMER FOR ACQUAGLOBO



Transformer for 1 Acquaglobo 220 V - 12 V Weight: 0,6 Kg (shipped in the box of the Acquaglobo) LP TRAOO1 TRANSFORMER - IP20 12V - 10W CONNECTOR - IP55 ... 2 mt 10 mt The connector, the transformer and the plug must keep away from the water 1 <u>contact!</u> Transformer for 3 Acquaglobo 30 W + box derivation for 3 connection Weight: 3 Kg (shipped in a separate box) LP TRA003 TRANSFORMER - IP68 12V - 36W **CONNECTOR** - IP55 ~ 4 mt The connector, the transformer and the plug must keep away from the water 5 mt <u>10 mt</u> 5 mt 5 mt <u>contact!</u> MULTIBOX - IP68

SYMBOLS



Wiring with plastic base and metal inserts. 12 - IP20 protection. E2 - IP55 protection. Diameter 10 cm. Fastening by slot screwdriver.



12/E2

Wiring with plastic base and LED CANDY LIGHT. IP44 protection. Diameter 10 cm. Diameter 10 cm.



Wiring with plastic screw base. 13 - IP20 protection. E3 - IP55 protection. Diameter 15 cm.

Special metal base. IP20 protection. Several sizes.

MATERIAL PROPERTIES

Material: Linear low-density polyethylene - LLDPE. Production process: rotational moulding. Resistant to extreme temperatures (-60°C to +80°C). UV resistant (except for lighting colours). High tensile strength.

WARNING

- Keep away from excessive heat sources.
- Avoid any improper use. Do not stand on the products. When the product has to be moved, lift the product off the ground in order to avoid damage.
- Do not overload the pot structure in order to avoid deforming.
- Carefully comply with the maintenance & cleaning instructions.
- In case of malfunctioning or damage of the wiring or any electrical parts, refer to a qualified electrician.

MAINTENANCE & CLEANING

- To prevent dust and dirt from sticking to the plastic surfaces, periodically clean the products with a damp cloth and neutral liquid soap diluted in water.
- Avoid using ethanol or any liquids containing, even in small amounts, acetone, trichloroethylene or ammonia (solvents in general).
- It is recommended the use of SLIDE's "CleanUp" cleaner or a degreaser. Spray the cleaning product on the surface, rub with a damp cloth and rinse abundantly with water (preferably with a high pressure washer). In case of persistent stains use a high pressure washer or scrub eraser.

The use of the scrub eraser (melamine foam - Scotch-Brite® Easy Eraser or similar) is only recommended for white colour, as they are slightly abrasive.

- The lacquered version is also suitable for outdoor use, however it is more sensitive to scratches: periodically clean with a polish cleaner, gently rubbing with soft cloth/cotton wool.
- Cushions can be cleaned with a damp cloth, neutral liquid soap and water.
- For metal parts use specific cleaners.

SUSTAINABILITY & RECYCLING

All SLIDE products are 100% recyclable. Furthermore, grey, black and chocolate matt colours are produced with recycled polyethylene. SLIDE has a closed production cycle with no health prejudicial emissions and complying with ecological sustainibility rules.

When a product reaches the end of its life, do not treat the product or any of its parts as domestic waste. Dispose by sending to differentiated collection centres.

RESPONSIBILITY & RETURNS

SLIDE declines any liability to damages caused to things or persons by an illegitimate use of the product. SLIDE won't accept any returned goods without having checked the kind of defects first.

WARRANTY

SLIDE products are guaranteed against all manufacturing faults, granted that the items are appropriately used, for twenty-four (24) months from the date of purchase upon presentation of the invoice.

LED KITS only are guaranteed for twelve (12) months from the date of purchase.

Warranty doesn't include parts that are subject to wear and tear due to usage, batteries when provided, wiring and electrical parts that do not have manufacturing faults.